

Bibliography

- Alekin O. A. and Ul'yanova D. S. (1992) Characteristics of present-day carbonate generation in Lake Sevan. *Transactions (Doklady) of the USSR Academy of Sciences: Earth Science Sections* **326**, 182-285.
- Algeo T. J. et al. (1995) Late Devonian oceanic anoxic events and biotic crises: "rooted" in the evolution of vascular land plants? *GSA Today* **5**, 45, 64-66.
- Anderson R. Y. and Dean W. E. (1988) Lacustrine varve formation through time. *Palaeogeography, Palaeoclimatology, Palaeoecology* **62**, 215-235.
- Anderson R. Y., Dean W. E., and Bradbury J. P. (1993) In *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States* Vol. Special Paper 276. pp. 1-6. Geological Society of America.
- Aravena R. et al. (1992) Carbon isotope composition of lake sediments in relation to lake productivity and radiocarbon dating. *Quaternary Research* **37**, 333-345.
- Atekwana E. A. and Krishnamurthy R. V. (1998) Seasonal variations of dissolved inorganic carbon and $\delta^{13}\text{C}$ of surface waters: application of a modified gas evolution technique. *Journal of Hydrology* **205**, 265-278.
- Avery G. B. Jr. and Martens C. S. (1999) Controls on the stable carbon isotopic composition of biogenic methane produced in a tidal freshwater estuarine sediment. *Geochimica et Cosmochimica Acta* **63**, 1075-1082.
- Bathurst R. C. C. (1975) *Carbonate Sediments and Their Diagenesis*, 2nd Ed. Elsevier.
- Benson L., White L. D., and Rye R. (1996) Carbonate deposition, Pyramid Lake Subbasin, Nevada: 4, Comparison of the stable isotope values of carbonate deposits (tufas) and the Lahontan lake-level record. *Palaeogeography, Palaeoclimatology, Palaeoecology* **122**, 45-76.
- Bernasconi S. M., Barbieri A., and Simona M. (1997) Carbon and nitrogen isotope variations in sedimenting organic matter in Lake Lugano. *Limnology and Oceanography* **42**, 1755-1765.
- Bertoni R. et al. (1997) Quali-quantitative changes in organic carbon production during the oligotrophication of Lake Maggiore, Italy. *Verhandlungen - Internationale Vereinigung fuer Theoretische und Angewandte Limnologie* **26**, 300-304.
- Beuning K. R. M., Talbot M. R., and Kelts K. R. (1997) A revised 30,000-year paleoclimatic and paleohydrologic history of Lake Albert, East Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology* **136**, 259-279.
- Bird M. I. and Pousai P. (1997) Variations of $\delta^{13}\text{C}$ in the surface soil organic carbon pool. *Global Biogeochemical Cycles* **11**, 313-322.
- Boehme S. E. et al. (1996) A mass balance of ^{13}C and ^{12}C in an organic-rich methane-producing marine sediment. *Geochimica et Cosmochimica Acta* **60**, 3835-3848.
- Butler J. N. (1982) *Carbon Dioxide Equilibria and Their Applications*. Addison-Wesley.
- Canfield D. E. (1994) Factors influencing organic carbon preservation in marine sediments. *Chemical Geology* **114**, 315-329.
- Canuel E. A., Freeman K. H., and Wakeham S. G. (1997) Isotopic compositions of lipid biomarker compounds in estuarine plants and surface sediments. *Limnology and Oceanography* **42**, 1570-1583.
- Chameides W. L. and Perdue E. M. (1997) *Biogeochemical Cycles*. Oxford University Press.
- Chou L., Garrels R. M., and Wollast R. (1989) Comparative study of the kinetics and mechanisms of dissolution of carbonate minerals. *Chemical Geology* **78**, 269-282.
- Cole J. J. (1999) Aquatic microbiology for ecosystem scientists: new and recycled paradigms in ecological microbiology. *Ecosystems* **2**, 215-225.
- Cole J. J. and Caraco N. F. (1998) Atmospheric exchange of carbon dioxide in a low-wind oligotrophic lake measured by the addition of SF_6 . *Limnology and Oceanography* **43**, 647-656.
- Cole J. J. et al. (1994) Carbon dioxide supersaturation in the surface waters of lakes. *Science* **265**, 1568-1570.
- Dean W. E. (in press) A 1500-year record of climatic and environmental change in Elk Lake, Minnesota II: geochemistry, mineralogy, and stable isotopes. *Journal of Paleolimnology*.
- Dean W. E. (1999) The carbon cycle and biogeochemical dynamics in lake sediments. *Journal of Paleolimnology* **21**, 375-393.
- Dean W. E. (1981) Carbonate minerals and organic matter in sediments of north temperate hard-water lakes. *SEPM Special Publications* **31**, 213-231.

- Dean W. E. (in prep) Characterization of organic matter in lake sediments from Minnesota and Yellowstone National Park.
- Dean W. E. (1974) Determination of carbonate and organic matter in calcareous sediments and sedimentary rocks by loss on ignition; comparison with other methods. *Journal of Sedimentary Petrology* **44**, 242-248.
- Dean W. E. Physical properties, mineralogy, and geochemistry of Holocene varved sediments from Elk Lake, Minnesota. In Bradbury, J. P. and W. E. Dean eds. *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States*. 135-157. 1993. Boulder, Colorado, Geological Society of America Special Paper 276.
- Dean W. E., Arthur M. A., and Claypool G. E. (1986) Depletion of ^{13}C in Cretaceous marine organic matter: source, diagenetic, or environmental signal? *Marine Geology* **70**, 119-157.
- Dean W. E. and Gorham E. (1998) Magnitude and significance of carbon burial in lakes, reservoirs, and peatlands. *Geology* **26**, 535-538.
- Dean W. E., Gorham E., and Swaine D. J. Geochemistry of surface sediments of Minnesota lakes. In Bradbury, J. P. and W. E. Dean eds. *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States*. 115-133. 1993. Boulder, Colorado, Geological Society of America Special Paper 276.
- Dean W. E. and Megard R. O. Environment of deposition of CaCO_3 in Elk Lake, Minnesota. In Bradbury, J. P. and W. E. Dean eds. *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States*. 97-113. 1993. Boulder, Colorado, Geological Society of America Special Paper 276.
- Dean W. E. and Schwalb A. (in prep.) The lacustrine carbon cycle as illuminated by the waters and sediments of two hydrologically distinct hardwater lakes in northwestern Minnesota.
- Dean W. E. and Stuiver M. (1993) Stable carbon and oxygen isotope studies of the sediments of Elk Lake, Minnesota. Bradbury, J.P., and Dean, W.E., eds., *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States: Boulder, Colorado, Geological Society of America Special Paper 276* 163-180.
- del Giorgio P. A., Cole J. J., and Cimleris A. (1997) Respiration rates in bacteria exceed phytoplankton production in unproductive aquatic systems. *Nature* **385**, 148-151.
- Dove P. M. and Hochella M. F. Jr. (1993) Calcite precipitation mechanisms and inhibition by orthophosphate: In situ observations by scanning force microscopy. *Geochimica et Cosmochimica Acta* **57**, 705-714.
- Driscoll C. T., Effler S. W., and Doerr S. M. (1994) Changes in inorganic carbon chemistry and deposition of Onondaga Lake, New York. *Environmental Science and Technology* **28**, 1211-1218.
- Drummond C. N., Patterson W. P., and Walker J. C. G. (1995) Climatic forcing of carbon-oxygen covariance in temperate-region marl lakes. *Geology* **23**, 1031-1034.
- Emrich K., Ehhalt D. H., and Vogel J. C. (1970) Carbon isotope fractionation during the precipitation of calcium carbonate. *Earth and Planetary Science Letters* **8**, 363-371.
- Engstrom D. R. et al. (2000) Chemical and biological trends during lake evolution in recently deglaciated terrain. *Nature* **408**, 161-166.
- Eugster H. P. and Kelts K. R. Lacustrine chemical sediments. In Goudie, A. and Pye K. eds. *Chemical Sediments and Geomorphology*. 321-368. 1983. London, Academic Press.
- Fritz P. et al. (1978) The carbon isotope geochemistry of a small groundwater system in northeastern Ontario. *Water Resources Research* **14**, 1059-1067.
- Gehlen M., Mucci A., and Boudreau B. (1999) Modelling the distribution of stable carbon isotopes in porewaters of deep-sea sediments. *Geochimica et Cosmochimica Acta* **63**, 2763-2773.
- Gorham E., Dean W. E., and Sanger J. E. (1983) The chemical composition of lakes in the north-central United States. *Limnology and Oceanography* **28**, 287-301.
- Gorham E. and Sanger J. E. (1975) Fossil pigments in Minnesota lake sediments and their bearing upon the balance between terrestrial and aquatic inputs to sedimentary organic matter. *Verhandlungen - Internationale Vereinigung fuer Theoretische und Angewandte Limnologie* **19**, 2267-2273.
- Halas S., Szaran J., and Niezgodna H. (2000) Reply to the comment by M.P. Verma on "Experimental determination of carbon isotope equilibrium fractionation between dissolved carbonate and carbon dioxide". *Geochimica et Cosmochimica Acta* **64**, 575-576.
- Hellings L. et al. (1999) Origin and fate of organic carbon in the freshwater part of the Scheldt Estuary as traced by stable carbon isotope composition. *Biogeochemistry* **47**, 167-186.

- Henderson-Sellers B. (1984) *Engineering Limnology*. Pitman Publishing Ltd.
- Herczeg A. L. and Fairbanks R. G. (1987) Anomalous carbon isotope fractionation between atmospheric CO₂ and dissolved inorganic carbon induced by intense photosynthesis. *Geochimica et Cosmochimica Acta* **51**, 895-899.
- Hodell D. A. and Schelske C. L. (1998) Production, sedimentation, and isotopic composition of organic matter in Lake Ontario. *Limnology and Oceanography* **43**, 200-214.
- Hodell D. A. et al. (1998) Biologically induced calcite and its isotopic composition in Lake Ontario. *Limnology and Oceanography*.
- Hollander D. J. (1989) Carbon and Nitrogen Isotopic Cycling and Organic Geochemistry of Eutrophic Lake Greifen: Implications for Preservation and Accumulation of Ancient Organic-Rich Sediments. Eidgenössischen Technische Hochschule Zürich.
- Hollander D. J. and McKenzie J. A. (1991) CO₂ control on carbon-isotope fractionation during aqueous photosynthesis; a paleo-pCO₂ barometer. *Geology* **19**, 929-932.
- Hollander D. J. and Smith M. A. (in press) Microbially mediated carbon cycling as a control on the $\delta^{13}\text{C}$ of sedimentary carbon in eutrophic Lake Mendota (USA): new models for interpreting isotopic excursions in the sedimentary record. *Geochimica et Cosmochimica Acta* **65**.
- Hornibrook E. R. C., Longstaffe F. J., and Fyfe W. S. (2000) Evolution of stable carbon isotope compositions for methane and carbon dioxide in freshwater wetlands and other anaerobic environments. *Geochimica et Cosmochimica Acta* **64**, 1013-1027.
- House W. A. (1987) Inhibition of calcite crystal growth by inorganic phosphate. *Journal of Colloid and Interface Science* **119**, 505-511.
- Huang Y. et al. (1999) Glacial-interglacial environmental changes inferred from molecular and compound-specific $\delta^{13}\text{C}$ analyses of sediments from Sacred Lake, Mt. Kenya. *Geochimica et Cosmochimica Acta* **63**, 1383-1404.
- Irwin H., Curtis C., and Coleman M. (1977) Isotopic evidence for source of diagenetic carbonates formed during burial of organic-rich sediments. *Nature* **269**, 209-213.
- Jedrysek M. O. (1995) Carbon isotopic evidence for diurnal variations in methanogenesis in freshwater lake sediments. *Geochimica et Cosmochimica Acta* **59**, 557-561.
- Keen K. L. and Shane L. C. K. (1990) A continuous record of Holocene eolian activity and vegetation change at Lake Ann, east-central Minnesota. *Geological Society of America Bulletin* **102**, 1646-1657.
- Kendall C. et al. (1997) Application of stable isotopes in the Shingobee River Headwaters area. Winter, Thomas C, ed., *Hydrological and Biogeochemical Research in the Shingobee River Headwaters Area, North-Central Minnesota*. U.S. Geological Survey Water-Resources Investigations Report 96-4215 63-70.
- Kharaka Y. K. et al. (1984) Hydrogeochemistry of Big Soda Lake, Nevada: an alkaline meromictic lake. *Geochimica et Cosmochimica Acta* **48**, 823-835.
- Kling G. W. (2000) A lake's life is not its own. *Nature* **408**, 149-150.
- Langmuir D. (1997) *Aqueous Environmental Geochemistry*. Prentice-Hall.
- Laws E. A. et al. (1995) Dependence of phytoplankton carbon isotopic composition on growth rate and [CO₂]_(aq): theoretical considerations and experimental results. *Geochimica et Cosmochimica Acta* **59**, 1131-1138.
- Likens G. E. and Bormann F. H. (1995) *Biogeochemistry of a Forested Ecosystem, 2nd Ed.* Springer-Verlag.
- Locke S. M. and Schwalb A. (1997) In *Hydrological and Biogeochemical Research in the Shingobee River Headwaters Area, North-Central Minnesota* (ed. T. C. Winter). pp. 187-192.
- Lojen S., Ogrinc N., and Dolenc T. (1997) Carbon and nitrogen stable isotope fractionation in the sediment of Lake Bled (Slovenia). *Water, Air and Soil Pollution* **99**, 315-323.
- Lojen S., Ogrinc N., and Dolenc T. (1999) Decomposition of sedimentary organic matter and methane formation in the recent sediment of Lake Bled (Slovenia). *Chemical Geology* **159**, 223-240.
- Lotter A. F. and Birks H. J. B. (1997) The separation of the influence of nutrients and climate on the varve time-series of Baldeggersee, Switzerland. *Aquatic Sciences* **59**, 362-375.
- Lotter A. F. et al. (1997) Varve formation since 1885 and high-resolution varve analyses in hypertrophic Baldeggersee (Switzerland). *Aquatic Sciences* **59**, 304-325.

- McKenzie J. A. Carbon isotopes and productivity in the lacustrine and marine environment. In Stumm, Werner ed. *Chemical Processes in Lakes*. 99-117. 1985. New York, John Wiley and Sons.
- Megard R. O., Bradbury J. P., and Dean W. E. (1993) In *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States* Vol. Special Paper 276. pp. 19-36. Geological Society of America.
- Melchior D. C. and Bassett R. L. (1990) *ACS Symposium Series: Chemical Modeling of Aqueous Systems II*. American Chemical Society.
- Metropolitan Council Environmental Services. Lake McCarrons wetland treatment system - Phase III study report. 1997. St. Paul, Minnesota.
- Metropolitan Council of the Twin Cities Area. Lake McCarrons wetland treatment system: Final report on the function of the wetland treatment system and the impacts on Lake McCarrons. 1988. St. Paul, Minnesota.
- Meyers P. A. (1997) Organic geochemical proxies of paleoceanographic, paleolimnologic, and paleoclimatic processes. *Organic Geochemistry* **27**, 213-250.
- Meyers P. A. and Ishiwatari R. (1993) Lacustrine organic geochemistry--an overview of indicators of organic matter sources and diagenesis in lake sediments. *Organic Geochemistry* **20**, 867-900.
- Meyers P. A. and Teranes J. L. (in press).
- Michaelis J., Usdowski E., and Menschel G. (1985) Partitioning of ^{13}C and ^{12}C on the degassing of CO_2 and the precipitation of calcite - Rayleigh-type fractionation and a kinetic model. *American Journal of Science* **285**, 318-327.
- Miyajima T. et al. (1995) Determining the stable isotope ratio of total dissolved inorganic carbon in lake water by GC/C IRMS. *Limnology and Oceanography* **40**, 994-1000.
- Miyajima T. et al. (1995) Determining the stable isotope ratio of total dissolved inorganic carbon in lake water by GC/C IRMS. *Limnology and Oceanography* **40**, 994-1000.
- Morse J. W. and Mackenzie F. T. (1990) *Geochemistry of Sedimentary Carbonates*. Elsevier.
- Mucci A. and Morse J. W. (1984) The solubility of calcite in seawater solutions of various magnesium concentration, $I_t = 0.697$ m at 25°C and one atmosphere total pressure. *Geochimica et Cosmochimica Acta* **48**, 815-822.
- Mullins H. T. (1998) Environmental change controls of lacustrine carbonate, Cayuga Lake, New York. *Geology* **26**, 443-446.
- Naguib M. and Adams D. D. (1996) Cycling of reduced gases in the hydrosphere. *Mitt. Internat. Verein. Limnol.* **25**, 83-90.
- Nissenbaum A., Magaritz M., and Goldberg M. (1988) ^{13}C enrichment in recent freshwater carbonate. *Naturwissenschaften* **75**, 252-253.
- Nuhfer E. B. et al. Modern sedimentation in Elk Lake, Clearwater County, Minnesota. In Bradbury, J. P. and W. E. Dean eds. *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States*. 75-96. 1993. Boulder, Colorado, Geological Society of America Special Paper 276.
- Oana S. and Deevey E. S. (1960) Carbon 13 in lake waters, and its possible bearing on paleolimnology. *American Journal of Science* **258-A**, 253-272.
- Ogrinc N., Lojen S., and Faganeli J. (1997) The sources of dissolved inorganic carbon in pore waters of lacustrine sediment. *Water, Air and Soil Pollution* **99**, 333-341.
- Ogrinc N. et al. (1998) Carbon cycling in a lacustrine environment (Lake Bled). *RMZ - Materials and Geoenvironment* **45**, 136-140.
- Quay P. D. et al. (1986) The carbon cycle for Lake Washington -- a stable isotope study. *Limnology and Oceanography* **31**, 596-611.
- Quay P. D., Tilbrook B., and Wong C. S. (1992) Oceanic uptake of fossil fuel CO_2 : carbon-13 evidence. *Science* **256**, 74-79.
- Quay P. D. et al. (1992) Carbon cycling in the Amazon River: implications from the ^{13}C compositions of particles and solutes. *Limnology and Oceanography* **37**, 857-871.
- Ramisch F. et al. (1999) Calcite dissolution in two deep, eutrophic lakes. *Geochimica et Cosmochimica Acta* **63**, 3349-3356.
- Ray J. S. and Ramesh R. (2000) Rayleigh fractionation of stable isotopes from a multicomponent source. *Geochimica et Cosmochimica Acta* **64**, 299-306.
- Riemann B. and Sondergaard M. (1986) *Carbon Dynamics in Eutrophic, Temperate Lakes*. Elsevier.

- Rosen M. R. et al. (1995) The effects of water temperature, stratification, and biological activity on the stable isotopic composition and timing of carbonate precipitation in a hypersaline lake. *Geochimica et Cosmochimica Acta* **59**, 979-990.
- Sagemann J. et al. (1999) Controls on the formation of authigenic minerals in association with decaying organic matter: an experimental approach. *Geochimica et Cosmochimica Acta* **63**, 1083-1095.
- Sanger J. E. and Gorham E. (1970) The diversity of pigments in lake sediments and its ecological significance. *Limnology and Oceanography* **15**, 59-69.
- Schelske C. L. and Hodell D. A. (1995) Using carbon isotopes of bulk sedimentary organic matter to reconstruct the history of nutrient loading and eutrophication in Lake Erie. *Limnology and Oceanography* **40**, 918-929.
- Schwalb A., Burns S. J., and Kelts K. R. (1999) Holocene environments from stable isotope stratigraphy of ostracods and authigenic carbonate in Chilean Altiplano lakes. *Palaeogeography, Palaeoclimatology, Palaeoecology* **148**, 153-168.
- Schwalb A. and Dean W. E. (in press) Reconstruction of hydrological changes and response to effective moisture variations from North-Central USA lake sediments.
- Smith A. J. et al. (1997) Ground-water processes controlling a prairie lake's response to mid-Holocene drought. *Geology* **25**, 391-394.
- Smith M. and Hollander D. J. (1999) Historical linkage between atmospheric circulation patterns and the oxygen isotopic record of sedimentary carbonates from Lake Mendota, Wisconsin, USA. *Geology* **27**, 589-592.
- Smith M. A. and Hollander D. J. (in press) Anaerobic processes and bacterial biomass contributions as a control on sedimentary carbon isotope records in severely eutrophic environments: A case study of Lake Mendota (Wisconsin, USA). *Geochimica et Cosmochimica Acta*.
- Snoeyink V. L. and Jenkins D. (1980) *Water Chemistry*. John Wiley & Sons, Inc.
- Somlyódy L. and van Straten G. (1986) *Modeling and Managing Shallow Lake Eutrophication*. Springer-Verlag.
- Stabel H.-H. (1986) Calcite precipitation in Lake Constance: chemical equilibrium, sedimentation, and nucleation by algae. *Limnology and Oceanography* **31**, 1081-1093.
- Stabel H.-H. Mechanisms controlling the sedimentation sequence of various elements in prealpine lakes. In Stumm, Werner ed. *Chemical Processes in Lakes*. 143-167. 1985. New York, John Wiley & Sons.
- Stow C. A. et al. (1998) Long-term environmental monitoring: some perspectives from lakes. *Ecological Applications* **8**, 269-276.
- Striegl R. G. and Michmerhuizen C. M. In *Hydrological and Biogeochemical Research in the Shingobee River Headwaters Area, North-Central Minnesota* pp. 77-82. U.S. Geological Survey Water-Resources Investigations Report 96-4215.
- Stumm W. and Morgan J. J. (1996) *Aquatic Chemistry: Chemical Equilibria and Rates in Natural Waters, 3rd. Ed.* John Wiley & Sons, Inc.
- Stumm W. e. (1985) *Chemical Processes in Lakes*. Wiley.
- Talbot M. R. (1990) A review of the palaeohydrological interpretation of carbon and oxygen isotopic ratios in primary lacustrine carbonates. *Chemical Geology* **80**, 261-279.
- Talbot M. R. and Kelts K. R. (1986) Primary and diagenetic carbonates in the anoxic sediments of Lake Bosumtwi, Ghana. *Geology* **14**, 912-916.
- Talbot M. R. and Laerdal T. (in press) The Late Pleistocene-Holocene palaeolimnology of Lake Victoria, East Africa, based upon elemental and isotopic analyses of sedimentary organic matter. *Journal of Paleolimnology*.
- Teranes J. L. and McKenzie J. A. (1999) Environmental change controls of lacustrine carbonate, Cayuga Lake, New York: Comment and Reply. *Geology* 187-188.
- Teranes J. L. et al. (1999) A study of oxygen isotopic fractionation during bio-induced calcite precipitation in eutrophic Lake Baldeggersee, Switzerland. *Geochimica et Cosmochimica Acta* **63**, 1981-1989.
- Teranes J. L. et al. (1999) Stable isotope response to lake eutrophication: Calibration of a high-resolution lacustrine sequence from Baldeggersee, Switzerland. *Limnology and Oceanography* **44**, 320-333.
- Thompson J. B. et al. (1997) Whiting events: Biogenic origin due to the photosynthetic activity of cyanobacterial picoplankton. *Limnology and Oceanography* **42**, 133-141.
- Tyler S. C. et al. (1997) Methane oxidation and pathways of production in a Texas paddy field deduced from measurements of flux, $\delta^{13}\text{C}$, and δD of CH_4 . *Global Biogeochemical Cycles* **11**, 323-348.

- Valero-Garces B. et al. (1997) Holocene climate in the Northern Great Plains inferred from sediment stratigraphy, stable isotopes, carbonate geochemistry, diatoms, and pollen at Moon Lake, North Dakota. *Quaternary Research* **48**, 359-369.
- Valero-Garcés B. et al. (1999) Large ^{13}C enrichment in primary carbonates from Andean Altiplano lakes, northwest Argentina. *Earth and Planetary Science Letters* **171**, 253-266.
- Verma M. P. (2000) Comment on "Experimental determination of carbon isotope equilibrium fractionation between dissolved carbonate and carbon dioxide". *Geochimica et Cosmochimica Acta* **64**, 573-574.
- Wachniew P. and Rozanski K. (1997) Carbon budget of a mid-latitude, groundwater-controlled lake: isotopic evidence for the importance of dissolved inorganic carbon recycling. *Geochimica et Cosmochimica Acta* **61**, 2453-2465.
- Wehrli B. (1993) What limits calcite dissolution in lakes? *Seventh meeting of the European Union of Geosciences; abstract supplement*, p. 347.
Reprint: <12 Reprint Status>
- Wehrli B. et al. (1997) High-resolution varve studies in Baldeggersee (Switzerland): project overview and limnological background data. *Aquatic Sciences* **59**, 285-294.
- Wharton R. A. Jr., Lyons W. B., and Des Marais D. J. (1993) Stable isotopic biogeochemistry of carbon and nitrogen in a perennially ice-covered Arctic lake. *Chemical Geology* **107**, 159-172.
- Whiticar M. J., Faber E., and Schoell M. (1986) Biogenic methane formation and freshwater environments: CO_2 reduction vs. acetate fermentation -- isotopic evidence. *Geochimica et Cosmochimica Acta* **50**, 693-709.
- Wright H. E. (1993) In *Elk Lake, Minnesota: Evidence for Rapid Climate Change in the North-Central United States* Vol. Special Paper 276. pp. 7-17. Geological Society of America.
- Yu Z. and McAndrews J. H. (1994) Holocene water levels at Rice Lake, Ontario, Canada: sediment, pollen and plant-macrofossil evidence. *The Holocene* **4**, 141-152.
- Zhang J., Quay P. D., and Wilbur D. O. (1995) Carbon isotope fractionation during gas-water exchange and dissolution of CO_2 . *Geochimica et Cosmochimica Acta* **59**, 107-114.